



AIM  
ROBOTICS ™  
DISPENSING MADE SIMPLE




**SD30/55**

TO USE WITH 30 OR 55 cc SYRINGE BARRELS


**DATA SHEET**

# WHAT'S IN THE BOX



USB WITH URCAP

8PIN LEAD



4xM6 SCREW

1x ORIENTATION PIN

# TECHNICAL DATA

## FEATURES

- Easy installation
  - Recommended for 30 - 55 cc syringes
  - Full dispensing control through URCap
  - Typical application: silicones, adhesives, very thin fluids
- 



Mechanical interface: ISO 9409-1, type 50-4-M6

Electrical interface: 8-pole M8

Digital interfaces: URCap, PolyScope  $\geq 5.5$   
URCap, API  $\geq 1.8$   
RS485  
24V I/O

Weight (without syringe): 0.7kg

Dimensions: 65 x 130 x 265mm



Model # SD 30/55  
URCap version  $\geq 1.3$

## No air

- Accurate dispensing

## Easy installation and Setup

- Up and running in 10 minutes
- Specially designed software

## Fully integrated with Universal Robots

- Single connection utilizing the M8 8pin connector

**AIM ROBOTICS APS**  
DENMARK

+45 31 51 55 11



AIM-ROBOTICS.COM



SALES@AIM-ROBOTICS.COM

